

# DDIN®

## TRANSFORMER SLING

DDIN Transformer Slings are manufactured with Samson Rope, the worldwide leader in the development and manufacturing of high-performance rope. Each sling is proof tested and tagged by a certified rope specialist. All DDIN Transformer Slings have a 5:1 safety factor.



### ADJUSTABLE TRANSFORMER SLINGS

- Adjustable eyes from 3" to 15"
- Proof tested (2:1)
- Serialized and tagged with: part number, rope diameter, WLL, safe handling instructions and test date
- Includes durable mesh storage bag
- Safety Factor: 5:1



PART #	ROPE DIAMETER	LIFTING LEG LENGTH	COLOR	WLL	WEIGHT
DNTS12	1/2"	Adjustable 24" - 48"	Blue	1,225 lbs.	1 lb.
DNTS58	5/8"	Adjustable 24" - 48"	Red	2,160 lbs.	1.6 lbs.
DNTS34	3/4"	Adjustable 24" - 48"	Green	3,200 lbs.	2 lbs.

**TALLMAN**  
EQUIPMENT CO., INC.  
EMPLOYEE OWNED


[www.tallmanequipment.com](http://www.tallmanequipment.com)

Call Toll Free: 877-860-5666 · International: 630-860-5666



# DDIN®

## TRANSFORMER SLING



### SINGLE PHASE PADMOUNT TRANSFORMER SLINGS

- Designed for safe and easy handling of single phase padmount transformers
- Available with adjustable or fixed-length legs
- Center leg designed for suspending the transformer lid
- Proof tested (2:1)
- Serialized and tagged with: part number, rope diameter, WLL, safe handling instructions and test date
- Includes durable mesh storage bag
- Safety Factor: 5:1



PART #	LEGS	ROPE DIAMETER	LIFTING LEG LENGTH	CENTER DOOR LEG LENGTH	COLOR	WLL	WEIGHT
DNTS12PM-2-LL	2	1/2"	Fixed 4'	2' - 3'	Blue	2,500 lbs.	5 lbs.
DNTS12PM-2-ADJ-LL	2	1/2"	Adjustable 3' - 4"	2' - 3'	Blue	2,500 lbs.	5 lbs.
DNTS12PM-4-LL	4	1/2"	Fixed 4'	2' - 3'	Blue	2,500 lbs.	8 lbs.
DNTS12PM-4-ADJ-LL	4	1/2"	Adjustable 3' - 4'	2' - 3'	Blue	2,500 lbs.	8 lbs.

### CAPACITOR BANK TRANSFORMER SLING

- Four adjustable legs assembled with thimbles in the upper eye
- Legs are individually connected to the connecting link
- Proof tested (2:1)
- Serialized and tagged with: part number, rope diameter, WLL, safe handling instructions and test date
- Includes durable mesh storage bag
- Safety Factor: 5:1



PART #	LEGS	ROPE DIAMETER	LIFTING LEG LENGTH	COLOR	WLL	WEIGHT
DNTS12CB-4-ADJ	4	1/2"	Adjustable 34" - 44"	Blue	5,000 lbs.	6.75 lbs.

**TALLMAN**  
EQUIPMENT CO., INC.  
EMPLOYEE OWNED

[www.tallmanequipment.com](http://www.tallmanequipment.com)

Call Toll Free: 877-860-5666 · International: 630-860-5666



# DDIIN<sup>®</sup>

## TRANSFORMER SLING



### THREE PHASE PADMOUNT TRANSFORMER SLINGS

- Designed for safe and easy handling of three phase padmount transformers
- Available with adjustable or fixed-length legs
- Legs are individually connected to the upper link with thimbles in each eye
- Wear pads fitted on lower eyes
- Proof tested (2:1)
- Serialized and tagged with: part number, rope diameter, WLL, safe handling instructions and test date
- Includes durable mesh storage bag
- Safety Factor: 5:1

PART #	LEGS	ROPE DIAMETER	LIFTING LEG LENGTH	COLOR	WLL	WEIGHT
DNTS58PM-4	4	5/8"	Fixed 6'	Red	12,000 lbs.	16 lbs.
DNTS58PM-4-ADJ	4	5/8"	Adjustable 5' - 8'	Red	9,900 lbs.	17 lbs.
DNTS34PM-4	4	3/4"	Fixed 6'	Green	15,200 lbs.	22 lbs.
DNTS34PM-4-ADJ	4	3/4"	Adjustable 5' - 8'	Green	13,400 lbs.	23 lbs.

**TALLMAN**  
EQUIPMENT CO., INC.  
EMPLOYEE OWNED

[www.tallmanequipment.com](http://www.tallmanequipment.com)

Call Toll Free: 877-860-5666 · International: 630-860-5666



# DDIIN<sup>®</sup>

## TRANSFORMER SLING



### HEAVY-DUTY THREE PHASE PADMOUNT TRANSFORMER SLING

- Legs assembled with thimbles in each eye and additional connecting links on the lower eyes
- Legs are individually connected to the upper link with thimbles in each eye
- Proof tested (2:1)
- Serialized and tagged with: part number, rope diameter, WLL, safe handling instructions and test date
- Includes durable mesh storage bag
- Safety Factor: 5:1

PART #	LEGS	ROPE DIAMETER	LIFTING LEG LENGTH	COLOR	WLL	WEIGHT
DNTS34PM-4-HD	4	3/4"	66"	Green	15,700 lbs.	26 lbs.



### SUPER-DUTY THREE PHASE PADMOUNT TRANSFORMER SLING

- Legs assembled with thimbles in each eye and additional connecting links on the lower eyes
- Legs are individually connected to the upper link with thimbles in each eye
- Proof tested (2:1)
- Serialized and tagged with: part number, rope diameter, WLL, safe handling instructions and test date
- Includes durable mesh storage bag
- Safety Factor: 5:1

PART #	LEGS	ROPE DIAMETER	LIFTING LEG LENGTH	COLOR	WLL	WEIGHT
DNTS78PM-4-HD	4	7/8"	88"	Black	20,000 lbs.	37 lbs.

**TALLMAN**  
EQUIPMENT CO., INC.  
EMPLOYEE OWNED

[www.tallmanequipment.com](http://www.tallmanequipment.com)

Call Toll Free: 877-860-5666 · International: 630-860-5666

