



**GREAT  
RIVER  
ENERGY™**

**TOWER  
FALL PROTECTION  
CATALOG**

**VERSION 5.9.22**



### EXOFIT NEX ARC POSITIONING/CLIMBING HARNESS

- Arc flash rated
- PVC coated aluminum back, front and side D-rings
- Shoulder, back and leg padding
- Nomex®/Kevlar® fiber webbing
- Capacity: 420 lbs.

PART #	SIZE
GRE200-4	M
GRE200-5	L
GRE200-6	XL



### BUCKHOOK TOWER KIT

The BuckHook™ system is ideal for users in the Tower and Substation field. This system uses a shepherd's hook attached to a fiberglass pole to fit over angle irons. Users will attach a lifeline with a rope grab to the head of the BuckHook™ and then attach a rope grab to oneself to give the user fall protection.

The BuckHook™ Kit includes all the components necessary for a "First man up" to have all the safety and fall protection needed to make a safe ascent.

#### THE KIT INCLUDES:

- BuckHook™
- LifeLine
- Mobile Fall Arrestor
- Kit Carry Bag
- Bucksorber 2

PART #
GREVXT-10



### ACCESS TOWER HARNESS

- Features five D-rings: 1 at the dorsal, 1 at the sternum, 1 at the waist, and 2 for work positioning
- 5000 lb. rated loop at the waist
- Arc flash rated shoulder pads, and wide leg pads
- Patented quick connect buckles for added comfort
- 'U' designed stitch pattern at neck for wider opening, eliminating neck irritation
- Buckle in front and back to create a snug fit
- Body belt features tool loops, accessory snap & rings
- Belt tightens using 2 friction buckles in front of the work positioning dees

PART #	MODEL OPTIONS	SIZE
GREVXT-1	2 D-Rings On The Body Belt	M
GREVXT-2	2 D-Rings On The Body Belt	L
GREVXT-3	2 D-Rings On The Body Belt	XL
GREVXT-4	4 D-Rings On The Body Belt	M
GREVXT-5	4 D-Rings On The Body Belt	L
GREVXT-6	4 D-Rings On The Body Belt	XL



### TOWER VERTICAL LIFELINE KIT

This Tower Vertical Lifeline Kit contains all the components necessary to safely allow climbers vertical access to a structure while keeping them 100% fall protected. The small diameter rope allows for more compact storage and weight reduction.

#### KIT INCLUDES:

- 300' of 7/16" abrasion resistant static rope with stitched eyes and metal thimbles on each end
- 2 – Mobile Fall Arrest devices (5004L4) that are easy to install. moves smoothly along the rope, and will arrest the user in the event of a fall.
- 6 – Redirect slings with carabiners to allow the user to position the lifeline so it conforms to the shape of the structure
- Lifeline anchor strap (Model 3902-6) with ANSI rated carabiners
- Storage Bag marked "Vertical Lifeline" for easy identification
- 2 – Aluminum Triple Action Carabiners
- 6 – Steel Twist Lock Carabiners

PART #
GREVXT-11



### S1 SAFETY HARNESS

This harnesses formed Batten Work Seat was designed in conjunction with the S1 harness by the experts at Safety One Training. The straps that connect the seat to the harness use 5,000 lbs min rated webbing and connection hardware to provide the strongest seat on the market.

PART #	SIZE
GREVXT-7	M
GREVXT-8	L
GREVXT-9	XL



### LIFELINE ASSEMBLY, 7/16" KERNMANTLE

A 7/16" - 1/2" Semi Static Kernmantle 16' lifeline that features a stitched eye with steel thimble at one end. Tight eye with weighted bag on the other end. Use with Mobile Fall Arrestor **5004L1** and **5004L3**.

PART #
GREVXT-12



### SUSPENSION SLING

Suspension sling that is ideal for creating a temporary anchor point by half-hitching around a suitable structure. Pliable webbing has a red warning center to indicate excessive wear or cuts.

PART #
GREVXT-16



### LIGHTWEIGHT SUSPENSION SLING

The streamlined size of this lightweight suspension sling is very flexible, so it's easy to handle and install. Steel rings allow any type of connector to be hooked to it. Comes with a wear protector for wrapping around sharp objects

PART #
GREVXT-17



### BUCK COMBOYARD

- Features a 5' dual tie-back lanyard with wear guard
- 12 foot fall ANSI rated shock absorber
- Tie Back Snaps with 5000 lb. rated gate
- Two ANSI 3600 lb. gate Big BuckSnaps™ that attach around angle irons up to 4"

PART #	ARRESTING FORCE
GREVXT-13	1,800 lbs



### BUCKSTOP TIE BACK LANYARD

Designed for tie-back use, the Tie Back BuckStop™ Lanyard features a locking rope snap on one end and a 3618 tie back snap on the other. the tie back snap has a 5,000 lb. rated gate that can be used in multiple applications.

PART #	ARRESTING FORCE
GREVXT-14	1,800 lbs



### DUAL RESCUE STRAP

Rescuing an injured co-worker has never been easier. The Dual Rescue Strap from Buckingham enables the user to safely and easily rescue a co-worker from an elevated position using our 101SR Self-Rescue System.

PART #
GREVXT-35



### BUCK HOOK UNIVERSAL ADAPTER

The BuckHook™ system uses a shepherd's hook attached to a fiberglass pole to fit over angle irons. The user would attach a lifeline with a rope grab to the head of the BuckHook™, and then attach a rope grab to oneself for fall protection.

PART #
GREVXT-20



### BUCKADJUSTER WITH SUPER FABRIC

A lightweight work positioning strap that features a micro adjuster for ease of use. A double locking snap hook is used to keep the overall weight under 2 lbs Overall length is 8'.

PART #
GREVXT-15



### SMC ADVANCE TECH HAUL SYSTEM

Weighing around 3 pounds, this kit is pre-rigged as either a 4:1 or 5:1 mechanical advantage system. Just flip the kit end to end for either advantage as needed. Also included are two SMC Lite Steel carabiners, and a 5mm oval screw link.

PART #
GREVXT-39



### MOBILE FALL ARRESTOR

The Mobile Fall Arrestor locks on rope and stops user. Integrated locking function allows user to immobilize device to reduce length of fall. Moves freely along rope without any manual intervention. To be used with the BuckSorber™ 2.

PART #
GREVXT-22



### BUCKSORBER2™

The BuckSorber 2™ packs major energy absorbing power in a small, lightweight, flexible pack making it's use comfortable for the user. The Arc Flash rated BuckSorber 2™ Energy Absorber is compatible with Mobile Fall Arrest devices (toothed locking wheel design)

PART #
GREVXT-41



### BIG BUCK SNAP

The big BuckSnap has been redesigned for easier use and now features a larger opening that allows the user to easily connect over 4" angle iron. The design allows for ease of detachment.

PART #
GREVXT-21



### ALUMINUM AUTO LOCK CARABINER

- 3,600 lb gate strength
- Length: 4-7/8"
- Opening: 3/4"
- Breaking Strength: 6,750 lbs
- Meets ANSI Z359.12

PART #
GREVXT-24



### LOCKING LADDER SNAP HOOK

- 3600 LBS gate strength Forged steel heat treated 100% proof loaded to 3600 lbs / 16 kN Min.
- Breaking load : 5000 lbs / 23 kN
- ANSI Z359.12-09
- EN 362 : 2004

PART #
GREVXT-36



### ALUMINUM AUTO LOCK CARABINER

- 3,600 lb gate strength
- Length: 5-1/2"
- Opening: .71"
- Breaking Strength: 5,620 lbs
- Meets ANSI Z359.12-

PART #
GREVXT-25



### SOLO 2 ROPE GRAB

A hyperlight, compact ascender with an ergonomic design that makes it very easy to use. Perfect for ascension, verified for traverse, and can also be used in block-and-tackle systems. Fits 8-13 MM rope.

PART #
GREVXT-37



### ALUMINUM TRIPLE ACTION CARABINER

- 3,600 lb gate strength
- Length: 5-5/8"
- Opening: .63"
- Breaking Strength: 6,744 lbs
- Meets ANSI Z359.12

PART #
GREVXT-26



### BUCKBULLY™ PULLEY FOR 5/8 ROPE

The aluminum sheave on the BuckBully™ Pulley can accommodate up to a 5/8" rope, while the side plate to sheave tolerance is tight enough that P-line or Mule Tape can be pulled through without it getting jammed.

PART #
GREVXT-33



### STEEL TWIST LOCK CARABINER WITH CAPTIVE PIN HOLES

- 3,600 lb gate strength
- Length: 4.37"
- Opening: .75"
- Breaking Strength: 9,216 lbs

PART #
GREVXT-27



### ASAP® LOCK

The ASAP LOCK mobile fall arrester is designed to facilitate handling during rope ascents. In normal use, the device moves freely along the rope without any manual intervention and follows the user in all his/her movements. Fits 8-13 MM rope.

PART #
GREVXT-34



### STEEL TWIST LOCK CARABINER

- 3,600 lb gate strength
- Length: 7-5/8"
- Opening: 2-1/8"
- Breaking Strength: 9,220 lbs
- Meets ANSI Z359.12

PART #
GREVXT-28



### ACCESSORY TOOL HOLDER

The CARITool tool holder allows the user to select and return tools with just one hand. It slips in through the harness straps and stays in place, thanks to its stabilizing clip. The gate has a protective feature that limits accidental snagging.

**PART #**

**GREVXT-29**



### CANVAS NUT AND BOLT POUCH

Features an inside pocket for organizing spare parts, web loops strategically positioned to store cotter pins during work, a powerful magnet, and a reinforced bottom to prevent premature wear makes this bag a must for any line worker.

**PART #**

**GREVXT-30**



### TOOL BAG

A mesh bag that makes it easy to locate items within the bag while allowing airflow to pass through. Available in my different sizes and colors. Great for gear that might get wet or sweaty. Material: Mesh. Mesh color: Green. Lengths available: 24"

**PART #**

**GREVXT-31**



### RETRACTABLE LANYARD

A durable, lightweight retractable lanyard measuring 20' in length that features a composite housing and a Triple Action Aluminum Carabiner (GREVXT-24) on each connecting end to minimize weight.

**PART #**

**GREVXT-32**

**ARRESTING FORCE**

**1,800 lbs**



### BUCKSTEP™ RELIEF FR POUCH

The FR BuckStep™ Suspension Trauma System was designed to alleviate the effects of orthostatic intolerance, also known as suspension trauma, and was made for any sized user and can be used either right-handed or left-handed.

**PART #**

**GREVXT-38**



### GATED HANDLINE CARRIER

The carrier is made of Polymer and includes a hole to easily secure it to the body belt with a bolt or zip tie. The carrier will straighten when approximately 25 pounds of pressure is applied and up to 35 pounds when the handline gate is closed.

**PART #**

**GREVXT-40**

## TOWER FALL PROTECTION VERSION 5.9.22

PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY
GRE200-4	Exofit Nex Positioning/Climbing Harness - Medium (1113331)		GREVXT-24	Aluminum Auto Lock Carabiner (5555S3)	
GRE200-5	Exofit Nex Positioning/Climbing Harness - Large (1113332)		GREVXT-25	Aluminum Auto Lock Carabiner (5005SAE)	
GRE200-6	Exofit Nex Positioning/Climbing Harness - Extra Large (1113333)		GREVXT-26	Aluminum William Ball Lock Carabiner (5555WSA)	
GREVXT-1	Access Tower Harness - 2 D-Rings On The Body Belt - Medium (61992)		GREVXT-27	Steel Twist Lock Carabiner with Captive Pin Holes (5005T)	
GREVXT-2	Access Tower Harness - 2 D-Rings On The Body Belt - Large (61992)		GREVXT-28	Steel Twist Lock Carabiner (5005L1)	
GREVXT-3	Access Tower Harness - 2 D-Rings On The Body Belt - Extra Large (61992)		GREVXT-29	Accessory Tool Holder (2402C)	
GREVXT-4	Access Tower Harness - 4 D-Rings On The Body Belt - Medium (62992)		GREVXT-30	Canvas Nut And Bolt Pouch (45911M2)	
GREVXT-5	Access Tower Harness - 4 D-Rings On The Body Belt - Large (62992)		GREVXT-31	Tool Bag (45400G1-24)	
GREVXT-6	Access Tower Harness - 4 D-Rings On The Body Belt - Extra Large (62992)		GREVXT-32	Retractable Lanyard (6005K-204DV)	
GREVXT-7	S1 Safety Harness - Medium (66772)		GREVXT-33	BuckBully Rope Pully (5007B1)	
GREVXT-8	S1 Safety Harness - Large (66772)		GREVXT-34	ASAP Lock (B071BA00)	
GREVXT-9	S1 Safety Harness - Extra Large (66772)		GREVXT-35	Dual Rescue Strap (7003S)	
GREVXT-10	Buckhook Tower Kit (KIT9-18)		GREVXT-36	Locking Ladder Snap Hook (30351)	
GREVXT-11	Tower Vertical Lifeline Kit (109-200)		GREVXT-37	Solo 2 Rope Grab (ROPE TOOLS:2257)	
GREVXT-12	Lifeline Assembly, 7/16" Kernmantle (39S2Q2-16)		GREVXT-38	Buckstep Relief FR Pouch (105RSK1)	
GREVXT-13	Buck Comboyard (5V67AQ1)		GREVXT-39	SMC Advance Tech Haul System (36158)	
GREVXT-14	Buckstop Tie Back Lanyard (5V+T7A16S1)		GREVXT-40	Gated Handline Carrier (2402G)	
GREVXT-15	Buckadjuster With Super Fabric (9A4-8)		GREVXT-41	Bucksorber 2 (400000X12)	
GREVXT-16	Suspension Sling (3902-3)				
GREVXT-17	Lightweight Suspension Sling (39021-3)				
GREVXT-20	Buck Hook Universal Adapter (50371U)				
GREVXT-21	Big Buck Snap (30342)				
GREVXT-22	Mobile Fall Arrestor (5004L4)				

### SHIPPING ADDRESS / NOTES

NAME		PHONE #	
ADDRESS		NOTES	
CITY			
STATE		ZIP CODE	



To order by phone call:  
Chris at (877) 860-5666 or  
Adam at (630) 441-3770

**CLICK TO EMAIL ORDER**